

- 1: Beke A, Joó JG, Csaba A, Lázár L, Bán Z, Papp C, Tóth-Pál E, Papp Z. Incidence of chromosomal abnormalities in the presence of fetal subcutaneous oedema, such as nuchal oedema, cystic hygroma and non-immune hydrops. *Fetal Diagn Ther.* 2009;25(1):83-92.
- 2: Pikó H, Vancsó V, Nagy B, Bán Z, Herczegfalvi A, Karcagi V. Dystrophin gene analysis in Hungarian Duchenne/Becker muscular dystrophy families - detection of carrier status in symptomatic and asymptomatic female relatives. *Neuromuscul Disord.* 2009 Feb;19(2):108-12.
- 3: Pikó H, Vancsó V, Nagy B, Balog J, Nagymihály M, Herczegfalvi A, Tímár L, Bán Z, Karcagi V. Muscular dystrophies: diagnostic approaches in Hungary. *Acta Physiol Hung.* 2008 Dec;95(4):405-18.
- 4: Nagy B, Berkes E, Rigó B, Bán Z, Papp Z, Hupuczi P. Under-expression of CD24 in pre-eclamptic placental tissues determined by quantitative real-time RT-PCR. *Fetal Diagn Ther.* 2008;23(4):263-6.
- 5: Papp C, Bán Z, Szigeti Z, Csaba A, Beke A, Papp Z. Role of second trimester sonography in detecting trisomy 18: a review of 70 cases. *J Clin Ultrasound.* 2007 Feb;35(2):68-72.
- 6: Papp C, Bán Z, Szigeti Z, Csaba A, Lázár L, Nagy GR, Papp Z. Prenatal sonographic findings in 207 fetuses with trisomy 21. *Eur J Obstet Gynecol Reprod Biol.* 2007 Aug;133(2):186-90.
- 7: Nagy B, Nagy GR, Lázár L, Bán Z, Papp Z. Detection of DeltaF508del using quantitative real-time PCR, comparison of the results obtained by fluorescent PCR. *Fetal Diagn Ther.* 2007;22(1):63-7.
- 8: Lázár L, Nagy B, Bán Z, Nagy GR, Papp Z. Presence of cell-free fetal DNA in plasma of women with ectopic pregnancies. *Clin Chem.* 2006 Aug;52(8):1599-601.
- 9: Papp C, Beke A, Mezei G, Szigeti Z, Bán Z, Papp Z. Prenatal diagnosis of Turner syndrome: report on 69 cases. *J Ultrasound Med.* 2006 Jun;25(6):711-7.
- 10: Papp C, Beke A, Bán Z, Szigeti Z, Toth-Pál E, Papp Z. Prenatal diagnosis of Trisomy 13: analysis of 28 cases. *J Ultrasound Med.* 2006 Apr;25(4):429-35.
- 11: Lázár L, Harmath AG, Bán Z, Nagy B, Papp C, Rigó J Jr, Papp Z. Detection of maternal deoxyribonucleic acid in peripheral blood of premature and mature newborn infants. *Prenat Diagn.* 2006 Feb;26(2):168-70.
- 12: Nagy B, Bán Z, Beke A, Nagy GR, Lázár L, Papp C, Tóth-Pál E, Papp Z. Detection of Toxoplasma gondii from amniotic fluid, a comparison of four different molecular biological methods. *Clin Chim Acta.* 2006 Jun;368(1-2):131-7.

- 13: Hargitai B, Csabai L, Bán Z, Hetényi I, Szucs I, Varga S, Papp Z. Rare case of exomphalos complicated with umbilical cord teratoma in a fetus with trisomy 13. *Fetal Diagn Ther.* 2005 Nov-Dec;20(6):528-33.
- 14: Nagy B, Bán Z, Lázár L, Nagy RG, Papp C, Tóth-Pál E, Papp Z. Rapid determination of trisomy 21 from amniotic fluid cells using single-nucleotide polymorphic loci. *Prenat Diagn.* 2005 Dec;25(12):1138-41.
- 15: Nagy B, Bán Z, Papp Z. The DNA isolation method has effect on allele drop-out and on the results of fluorescent PCR and DNA fragment analysis. *Clin Chim Acta.* 2005 Oct;360(1-2):128-32.
- 16: Nagy GR, Bán Z, Sipos F, Beke A, Papp C, Papp Z. Isolation of epsilon-haemoglobin-chain positive fetal cells with micromanipulation for prenatal diagnosis. *Prenat Diagn.* 2005 May;25(5):398-402.
- 17: Joó GJ, Beke A, Papp C, Tóth-Pál E, Szigeti Z, Bán Z, Papp Z. Prenatal diagnosis, phenotypic and obstetric characteristics of holoprosencephaly. *Fetal Diagn Ther.* 2005 May-Jun;20(3):161-6.
- 18: Glasz T, Hortoványi E, Mózes G, Kiss A, Lotz G, Nagy PK, Szik A, Kardos M, Sziller I, Nagy B, Bán Z, Tóth A, Kassai I, Horkay F, Dudás G, Kádár A. Chlamydia pneumoniae in coronary bypass grafts of redo patients. The concept of the 'adventitial baseline infection'. *Pathol Res Pract.* 2004;200(9):609-18.
- 19: Szigeti Z, Tóth-Pál E, Papp C, Beke A, Joó J, Bán Z, Mezei G, Papp Z. Cytogenetic investigation of fetuses conceived by intracytoplasmatic sperm injection. *Prenat Diagn.* 2004 Jul;24(7):579-80.
- 20: Tóth-Pál E, Papp C, Beke A, Bán Z, Papp Z. Genetic amniocentesis in multiple pregnancy. *Fetal Diagn Ther.* 2004 Mar-Apr;19(2):138-44.
- 21: Bán Z, Nagy B, Papp C, Beke A, Tóth-Pál E, Papp Z. Recurrent trisomy 21 and uniparental disomy 21 in a family. *Fetal Diagn Ther.* 2003 Nov-Dec;18(6):454-8.
- 22: Bán Z, Nagy B, Papp C, Tóth-Pál E, Papp Z. Rapid diagnosis of triploidy of maternal origin using fluorescent PCR and DNA fragment analysis in the third trimester of pregnancy. *Prenat Diagn.* 2002 Nov;22(11):984-7.
- 23: Beke A, Bán Z, Nagy B, Tóth-Pál E, Papp C, Csaba A, Papp Z. Pre- and perinatal relations of hemophilia A and B. *Fetal Diagn Ther.* 2003 Jan-Feb;18(1):17-25.
- 24: Bán Z, Fancsovits P, Nagy B, Kamaszné HM, Urbancsek J, Papp Z. [First attempts in preimplantation genetic diagnosis: genetic analysis]. *Orv Hetil.* 2001 Nov 11;142(45):2487-92. Hungarian.

- 26: Nagy B, Bán Z, Tóth-Pál E, Papp C, Fintor L, Papp Z. Apolipoprotein E allele distribution in trisomy 13, 18, and 21 conceptuses in a Hungarian population. *Am J Clin Pathol.* 2000 Apr;113(4):535-8.
- 27: Bán Z, Rigo J Jr, Nagy B. Unusual cases of severe thrombotic episodes during the peripartum period. *Am J Obstet Gynecol.* 1999 Oct;181(4):1040-1.
- 28: Bauknecht T, Randelzhofer B, Schmitt B, Bán Z, Hernando JJ. Response to IL-6 of HPV-18 cervical carcinoma cell lines. *Virology.* 1999 Jun 5;258(2):344-54.